



- SPECIFICATIONS

Catalog No.	Pressure Rating(PSI)	Orifice Size	Port Type	Material
FT10TS08	10,000	Ø9.5	H1008	STS 316CW

- Note
1. All dimensions for reference only and subject to change.

0	FOR APPROVAL	7	K.Y.J		
REV No.	DESCRIPTION	DRAWING	REVIEWED BY	APPROVED BY	
DESIGN SECTION					

Website		Main site : http://www.hiflux.com Shopping mall : http://www.hifluxmall.com				
4	-	-	-	-	-	
3	SLEEVE	10,000PSI 1/2"	FA10SS08	STS 316CW	2 EA	
2	GLAND	10,000PSI 1/2"	FA10GS08	STS 316CW	2 EA	
1	TEE	10,000PSI 1/2"	FT10TS08	STS 316CW	1 EA	
ITEM	NAME OF PART PART CODE	SPEC	Catalog No.	MATERIAL	QUANTITY UNIT FOR ONE SET	REMARK
MATERIAL LIST FOR ONE SET						
No indication chamfer 0.2~0.4 X 45°		UNIT: MM	PROJECT Low Pressure Fitting Block			
General tolerance is given in KS B ISO 2768-1				TITLE 10,000PSI 1/2" TEE		
NORMINAL DIM.(MM)		CLASS OF FINISH		FT10TS08		
OVER	UNDER	TOL	√ = ∅, 200S, ~	APPD BY		
0.5	6	±0.1	√ = ∅, 50S, ▽	CHD BY	REV. NO.	
6	30	±0.2	√ = ∅, 12.5S, ▽▽	DED BY	WORK NO. HI-KYJ-260623-05	
30	120	±0.3	√ = ∅, 3.2S, ▽▽▽	DRN BY		
120	315	±0.5	√ = ∅, 0.8S, ▽▽▽▽	K.Y.J	SCALE	
315	1000	±0.8		K.Y.J	DRN DATE	
1000	2000	±1.2			DWG NO. FT10TS08	
OVER 2000		±1.5				
			HIFLUX ®			