

- Note
1. All dimensions for reference only and subject to change.

- SPECIFICATIONS

Catalog No.	Pressure Rating(PSI)	Port type	
		A	B
RV60FSS09	60,000	H6009	1/2" NPT

Website		Main site : http://www.hiflux.com Shopping mall : http://www.hifluxmall.com					
5	-	-	-	-	-	-	
4	-	-	-	-	-	UNIT	
3	GLAND	60,000PSI 9/16"	FA60GS09	STS316CW	1	UNIT	
2	COLLAR	60,000PSI 9/16"	FA60RS09	STS316CW	1	UNIT	
1	RELIEF VALVE	60,000PSI 9/16"	RV60FSS09	STS316CW	1	UNIT	
ITEM	NAME OF PART	SPEC	Catalog No.	MATERIAL	QUANTITY	UNIT	REMARK
PART CODE		DESCRIPTION			FOR ONE SET		

MATERIAL LIST FOR ONE SET

REV NO.	DESCRIPTION	DRAWING	REVIEWRED BY	APPROVED BY
0	FOR APPROVAL	/		
		DESIGN SECTION		

No indication chamfer 0.2~0.4 X 45°	UNIT: MM
General tolerance is given in KS B ISO 2768-1	

NORMINAL DIM.(MM)		
OVER	UNDER	TOL.
0.5	6	±0.1
6	30	±0.2
30	120	±0.3
120	315	±0.5
315	1000	±0.8
1000	2000	±1.2
OVER 2000		±1.5

CLASS OF FINISH

▽ = 25/, 200S,

▽ = 12.5/, 50S,

▽ = 3.2/, 12.5S,

▽ = 0.8/, 3.2S,

▽ = 0.2/, 0.8S,

PROJECT: RELIEF VALVE FACTORY SET

TITLE: 60,000 PSIG Relief Valve
RV60FSS09

APPD BY	CHD BY	DED BY	DRN BY	WORK NO.	REV. NO.
	K.Y.J	K.Y.J	K.Y.J	HI-KYJ-241211-02	0
SCALE	1:1	DRN DATE	12.2024	DWG NO.	RV60FSS09

HIFLUX®